

Metric 4.3.1 : Percentage of classrooms and seminar halls with ICT - enabled facilities such as LCD, smart board, Wi-Fi/LAN, audio video recording facilities. (Data for the latest completed academic year)

Grade Obtained from NAAC: 2

Grade expected by IKGPTU: 4

Information Submitted by IKGPTU is as follows:

Stage 1: SSR

HEI Input: 54 Classrooms

Response: 52.94 %

Institutional Data Template is uploaded at

https://assessmentonline.naac.gov.in/storage/app/hei/SSR/101533/4.3.1_1643539371_7403.xlsx

Data template contains the details of all 54 classrooms and Seminar Halls with ICT enabled facilities

The data template contains the link of Department wise details and Geo tagged photographs of all classrooms and seminar halls with ICT enabled facilities

<https://ptu.ac.in/naac-data/Criterion-4/4.3.1/Percentage-of-Classrooms-and-Seminar-Halls-with-ICT-enabled-facilities.pdf>

Stage 2: DVV

Deviation Details:

Provide geotagged photographs of classrooms/seminar halls with ICT enabled facilities with list for year 2020-21.

DVV Findings:

Provide geotagged photographs of classrooms/seminar halls with ICT enabled facilities with list for year 2020-21.

Response from HEI:

1. Geotagged photographs of all 54 classrooms and seminar halls with ICT enabled facilities for the year 2020-21 have been uploaded on the NAAC website of the University under the subindicator-4.3.1 department wise.

The link of the supporting document of these geotagged photographs is uploaded at : <https://ptu.ac.in/naac-data/Criterion-4/4.3.1/Percentage-of-Classrooms-and-Seminar-Halls-with-ICT-enabled-facilities.pdf>

Stage 3: Appeal

Reasons for Appeal:

Out of total 104 rooms 54 rooms have ICT enabled facilities the proofs of the same and department wise details along with geo tagged photographs of the rooms uploaded

Appeal:

In view of above points and the documents attached, IKGPTU feels that it deserves to be **upgraded to grade 4 for this metric.**